



OASIS COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION KIT, FILTERED, NON-REFRIGERATED MODEL NNFEFBPG

Suggested Specification

Model NNFEFBPG shall retrofit to existing OASIS PG*AC and P*AC series water coolers to provide contactless activation and laminar flow. Retrofits to both single and split level models. Model NNFEFBPG shall include the VersaFiller® Bottle Filler. Bottle Filler alcove and cabinet finish shall be stainless steel. Key VersaFiller components contain Freshield®, which utilizes a silver-based antimicrobial compound to protect the surfaces from discoloration, odors and degradation caused by the growth of micro-organisms and mildew.

Features:	• Waterways are lead-free in materials & construction
	• Heavy duty galvanized steel frame
	• Bottle filler replaces bubbler, button activation, existing top and front panel
	• Bottle filler retro-fits to the existing water cooler without removing it from the wall
	• Re-uses existing refrigeration, plumbing and power source
	• Access through the side of the bottle filler cabinet for clean and easy replacement of filters
	• Filter located in top bottle filler for easy filter replacement
	• Built-in filter monitor and bottle counter
	• Logos permanently formed into the alcove and stainless steel wrapper
	• LED lighted alcove
Choice of Filtration System:	• OASIS VersaFilter III
	• OASIS Total PFAS Filter
	• OASIS Pharmaceutical Filter
Power:	115 Volts, 60 Hz
Activation By:	Contactless Sensor
Mounting Type:	Wall Mounted
Chilling Option:	Utilizes existing refrigeration system if applicable
Full Load Amps	0.4 amps
Rated Watts	20
Approx. Net Weight	24 lbs
Installation Location:	Indoor



*Drinking Fountain Not Included

Ships in one box..

Installation

- Prior to roughing in, consult with local, state and federal codes for proper mounting height
- Shipped with complete instructions and wall mounting bracket

Finishes

- Standard cabinet finish: Stainless steel

Limited 1-Year Warranty

(Continental limits of the United States and Canada)
One year on bottle fillers and electrical components. Detailed warranty certificate enclosed with each water cooler; sample available upon request.

Export Warranty

One year on components parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

Certifications/Compliance

- Certified to UL 399 and CAN/CSA C22.2 No.120 (electric water coolers only)
- Complies with the requirements of ADA (Americans with Disabilities Act) when properly installed

MODEL: _____ QTY: _____

PROJECT: _____

CONTACT: _____

NOTES: _____

APPROVAL: _____ DATE: _____



WARNING:
Cancer and Reproductive Harm
www.P65Warnings.ca.gov



Specifications subject to change without notice



OASIS COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION KIT, FILTERED, NON-REFRIGERATED **MODEL NNFEFBPG**

Accessories



OASIS VersaFilter III Replacement Cartridge

OASIS Item #041145-001

- Certified to NSF/ANSI 42, 53 and 401 for lead, Particulate Class I, chlorine, taste, odor and microplastics reduction to 4,750 gallons.



OASIS Total PFAS Replacement Cartridge

OASIS Item #041668-001

- Certified to NSF/ANSI 42, 53 and 401 for chlorine, taste, odor, particulate class 1, lead, cysts, Total PFAS, and microplastics reduction to 1,100 gallons.



OASIS Pharmaceutical Replacement Cartridge

OASIS Item #041670-001


- Certified to NSF/ANSI 42, 53 and 401 for chlorine, taste, odor, particulate class 1, lead, cysts, Atenolol, Bisphenol A, Carbamazepine, DEET (diethyltoluamide), Estrone, Ibuprofen, Meprobamate, Metolachlor, Naproxen, Nonyl phenol, Phenytoin and Trimethoprim, and microplastics reduction to 725 gallons.



[View all filters and accessories](#)



OASIS COOLER TO ELECTRONIC BOTTLE FILLER
CONVERSION KIT, FILTERED, NON-REFRIGERATED
MODEL NNFBFPG



NOTES:

1. * DIMENSIONS ARE REFERENCE ONLY.
2. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS.